EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S6	3528	(scan\$4 with image) and ((search\$3 determin\$6 look \$3 detect\$4 loact\$4) with (finger\$1print water \$1mark pointer) with image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 15:18
S 7	4500	(scan\$4 with image) and ((search\$3 determin\$6 look \$3 detect\$4 locat\$4) with (finger\$1print water \$1mark pointer) with image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 15:18
S 8	1551	(scan\$4 with image) and ((search\$3 determin\$6 look \$3 detect\$4 locat\$4) with (finger\$1print water \$1mark pointer) with image) and (feature with (data info information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 15:19
S 9	142	(scan\$4 with image) and ((search\$3 determin\$6 look \$3 detect\$4 locat\$4) with (finger\$1print water \$1mark pointer) with image) and (feature with (data info information)) and ((quer\$4 search\$3) with (database store repository) with (meta \$1data attribute characteristic feature))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 15:21
S10	75	(scan\$4 with image) and ((search\$3 determin\$6 look \$3 detect\$4 locat\$4) with (finger\$1print water \$1mark pointer) with image) and (feature with (data info information)) and ((quer\$4 search\$3) with (database store repository) with (meta \$1data attribute characteristic feature)) and ((finger\$1print water \$1mark pointer) with point \$3 with (location address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 15:24

S11	00	(scan\$4 with image) and ((search\$3 determin\$6 look \$3 detect\$4 locat\$4) with (finger\$1print water \$1mark pointer) with image) and (feature with (data info information)) and ((quer\$4 search\$3) with (database store repository) with (meta \$1data attribute characteristic feature)) and ((finger\$1print water \$1mark pointer) with point \$3 with (location address)) and (kanatsu with tomotoshi).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 15:26
S12	98	(kanatsu with tomotoshi). in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 15:27
S13	37	(kanatsu with tomotoshi). in. and (image).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 15:27
S14	12	(kanatsu with tomotoshi). in. and (image).clm. and (search\$3 quer\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 15:28
S15	1	(kanatsu with tomotoshi). in. and (image).clm. and (search\$3 quer\$4).clm. and (finger\$1print\$3 pointer).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 15:29
S16	7	(kanatsu with tomotoshi). in. and (detect\$4 with pointer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 15:30
S17	1845	image and ((detect\$4 determin\$6 search\$3 locat \$4 look\$4) with image with barcode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 15:33

S18	17	image and ((detect\$4 determin\$6 search\$3 locat \$4 look\$4) with image with barcode) and ((determin\$6 detect\$4) with barcode with storage with (location address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 15:33
S19	17	image and ((detect\$4 determin\$6 search\$3 locat \$4 look\$4) with image with barcode) and ((determin\$6 detect\$4) with barcode with storage with (location address)) and ((stor\$3 archiv\$3) with image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 15:36
S20	1752120	(scan\$4 with document)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/08 11:34
S21	25925	((scan\$4 imag\$3) with document) and ((determin \$6 search\$3 locat\$4 detect \$4 look\$3) with (pointer barcode code fingerprint watermark))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/08 11:36
S22	13015	((scan\$4 imag\$3) with document) and ((determin \$6 search\$3 locat\$4 detect \$4 look\$3) with (pointer barcode code fingerprint watermark)) and ((pointer barcode code fingerprint watermark) with (location address url))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/08 11:37
S23	1451	((scan\$4 imag\$3) with document) and ((determin \$6 search\$3 locat\$4 detect \$4 look\$3) with (pointer barcode code fingerprint watermark)) and ((document image) with (pointer barcode code fingerprint watermark) with (location address url) with point\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/08 11:37

S24	490	((scan\$4 imag\$3) with document) and ((determin \$6 search\$3 locat\$4 detect \$4 look\$3) with (pointer barcode code fingerprint watermark)) and ((document image) with (pointer barcode code fingerprint watermark) with (location address url) with point\$3) and ((single with instance with storage) de\$1duplicat\$4 replicat\$4 duplicat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/08 11:38
S25	504	((scan\$4 imag\$3) with document) and ((determin \$6 search\$3 locat\$4 detect \$4 look\$3) with (pointer barcode code fingerprint watermark)) and ((document image) with (pointer barcode code fingerprint watermark) with (location address url) with point\$3) and ((single with instance with stor\$3) de\$1duplicat\$4 replicat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/08 11:39
S26	247	((scan\$4 imag\$3) with document) and ((determin \$6 search\$3 locat\$4 detect \$4 look\$3) with (pointer barcode code fingerprint watermark)) and ((document image) with (pointer barcode code fingerprint watermark) with (location address url) with point\$3) and ((single with instance with stor\$3) de\$1duplicat\$4 replicat\$4 duplicat\$4) and @ad<"20030425"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/08 11:41
S27	139	,	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/08 11:42

		duplicat\$4) and @ad<"20030425" and (feature with (data information))				
S28	16	((scan\$4 imag\$3) with document) and ((determin \$6 search\$3 locat\$4 detect \$4 look\$3) with (pointer barcode code fingerprint watermark)) and ((document image) with (pointer barcode code fingerprint watermark) with (location address url) with point\$3) and ((single with instance with stor\$3) de\$1duplicat\$4 replicat\$4 duplicat\$4) and @ad<"20030425" and (feature with (data information)) and (user with (input\$4 submit\$4) with (search term query keywords attribute annotation meta\$1data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/08 11:43
S29		((scan\$4) with document) and ((determin\$6 search \$3 locat\$4 detect\$4 look \$3) with (pointer barcode code fingerprint watermark)) and ((document image) with (pointer barcode code fingerprint watermark) with (location address url) with point\$3) and ((single with instance with stor\$3) de\$1duplicat\$4 replicat\$4 duplicat\$4) and @ad<"20030425" and (feature with (data information)) and (user with (input\$4 submit\$4) with (search term query keywords attribute annotation meta\$1data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/08 11:45

S30	3	((determin\$6 search\$3 locat\$4 detect\$4 look\$3 scan\$4) with (pointer barcode code fingerprint watermark) with (document image) and ((document image) with (pointer barcode code fingerprint watermark) with (location address url) with point\$3) and ((single with instance with stor\$3) de\$1duplicat\$4 replicat\$4 duplicat\$4) and (@ad<"20030425" and (feature with (data information)) and (user with (input\$4 submit\$4) with (search term query keywords attribute annotation meta\$1data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/08 11:47
S31	4	((determin\$6 search\$3 locat\$4 detect\$4 look\$3 scan\$4) with (pointer barcode code fingerprint watermark) with (document image) and ((document image) with (pointer barcode code fingerprint watermark) with stor\$4 with (location address url) with point\$3) and ((single with instance with stor\$3) de\$1duplicat \$4 replicat\$4 duplicat\$4 and @ad<"20030425" and (feature with (data information)) and (user with (input\$4 submit\$4) with (search term query keywords attribute annotation meta\$1data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/08 11:49
S32		((determin\$6 search\$3 locat\$4 detect\$4 look\$3 scan\$4) with (pointer barcode code fingerprint watermark) with (document image)) and ((document image) with (pointer barcode code fingerprint watermark) with stor\$4 with (location address url) with point\$3) and ((single with instance with stor\$3) de\$1duplicat \$4 replicat\$4 duplicat\$4) and @ad<"20030425" and	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/08 11:50

		(feature with (data information)) and (user with (input\$4 submit\$4) with (search term query keywords attribute annotation meta\$1data) with (image document))				
S33	782	((determin\$6 search\$3 locat\$4 detect\$4 look\$3 scan\$4) with (pointer barcode code fingerprint watermark) with (document image)) and ((document image) with (pointer barcode code fingerprint watermark) with stor\$4 with (location address url) with point\$3) and @ad<"20030425"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/08 11:51
S34	626	(((determin\$6 search\$3 locat\$4 detect\$4 look\$3 scan\$4) with (pointer barcode code fingerprint watermark) with (document image)) same ((document image) with (pointer barcode code fingerprint watermark) with stor\$4 with (location address url) with point\$3)) and @ad<"20030425"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/08 11:51
S35	12	(("5911139") or ("20020106135") or ("6961463") or ("20020176116") or ("7127106") or ("20050055344")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/08 11:55
S36	2	("20040213458").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/08 13:53

4/10/2010 6:33:54 PM

C:\ Documents and Settings\ klovel\ My Documents\ EAST\ Workspaces\ 10828470\ 10828470_8. wsp